PLUMBING LEGEND

AFF	ABOVE FINISHED FLOOR
ARCH	ARCHITECTURAL
B.G.	BELOW GRADE
BTU	BRITISH THERMAL UNIT
CAP.	CAPACITY
C.I.	CAST IRON
COMP.	COMPARTMENT
CONT.	CONTINUATION
CU.	CUBIC
DF	DRINKING FOUNTAIN
DI	DEIONIZED (WATER)
DIA.	DIAMETER
ELEV.	ELEVATION
EWC	ELECTRIC WATER COOLER
FD	FLOOR DRAIN
FDC	FIRE DEPARTMENT CONNECTION
F.F.	FINISH FLOOR
FLG.	FLANGE
FT	FOOT / FEET
G	GAS
GA.	GAUGE
GALV.	GALVANIZED
GPM	GALLONS PER MINUTE
G.V.	GATE VALVE
HP	HORSEPOWER
HR.	HOUR
I.E.	INVERT ELEVATION
kW	KILOWATT
LAV	LAVATORY
LBS	POUNDS
MAX.	MAXIMUM
MBH	THOUSANDS OF BTUs PER HOUR
MIN.	MINIMUM
M.J.	MECHANICAL JOINT
N.I.M.	NOT IN MECHANICAL
OS&Y	OUTSIDE STEM & YOKE
PROT.	PROTECTION
PRV	PRESSURE REDUCING VALVE
PSI, PSIG	POUNDS PER SQUARE INCH
P/T	PRESSURE / TEMPERATURE
REQ'D	REQUIRED
RPBP	REDUCED PRESSURE BACKFLOW PREVENTER
RPM	REVOLUTIONS PER MINUTE
TYP.	TYPICAL
UR	URINAL
VTR	VENT THROUGH ROOF
WC	WATER CLOSET

(CW)	COLD WATER
(HW)	HOT WATER
(HWR)	HOT WATER RECIRC
(HT)	HOT WATER HEAT TRACED
(W)	BELOW GRADE WASTE
(W)	ABOVE GRADE WASTE
(V)	VENT
(AV)	ACID VENT
(RD)	RAIN DRAIN
(OD)	OVERFLOW RAIN DRAIN
(FDC)	FIRE DEPARTMENT CONNECTION
(A)	COMPRESSED AIR
(PHW)	PROCESS HOT WATER
(PCW)	PROCESS COLD WATER
VACUUM	VACUUM
(G)	NATURAL GAS
(F)	FIRE WATER
(GW)	GREASE WASTE
(AW)	ACID WASTE

X / XX	EQUIPMENT MARK NUMBER
XXX	FIXTURE MARK
(E)	EXISTING
#	NOTE
	CONNECT TO EXISTING
	CAP
	TEE
	ELBOW
	CLEANOUT
	PRESSURE/TEMP RELIEF VALVE
	BUTTERFLY VALVE
	GAS PRESSURE REGULATING VALVE
OR	TOP CONNECTION
	BOTTOM CONNECTION
	PIPE TURNED UP, PIPE TURNED DOWN
	GATE VALVE
OR	BALL VALVE
	BALANCING VALVE
	CHECK VALVE
	UNION
	DOUBLE CHECK ASSEMBLY

PLUMBING CONNECTION SCHEDULE

MARK	FIXTURE	W	V	CW	HW	REMARKS
ESH-1	EMERGENCY SHOWER AND EYE WASH	2"	V.L.	1-1/4"	1-1/4"	SEE SPECS, SEE 1/P6.01
LV-1	LAVATORY	1-1/2"	1-1/2"	1/2"	1/2"	WALL MOUNT, SEE SPECS.
S-1	SINK	1-1/2"	1-1/2"	1/2"	1/2"	SCIENCE CLASSROOM SINK
S-2	SINK	1-1/2"	1-1/2"	1/2"	1/2"	BREAKROOM
S-3	SINK	1-1/2"	1-1/2"	1/2"	1/2"	NURSE
S-4	SINK	1-1/2"	1-1/2"	1/2"	1/2"	BAND/CHOIR ROOM
GO-1	GAS OUTLET	---	---	---	---	1/2"G
WC-1	WATER CLOSET	3"	2"	1"		WALL MOUNT, FLUSH VALVE, ADA
FD-1	FLOOR DRAIN	2"	V.L.			J.R. SMITH 2005A (ROUND) OR EQUAL APPROVED.
DF-1	DRINKING FOUNTAIN	1-1/2"	1-1/2"	1/2"		DUAL HEIGHT, WITH BOTTLER FILLTER

* PROVIDE W/ WALL CLEAN-OUT BELOW EACH SINK



1 P6.01 EMERGENCY SHOWER/EYE WASH DETAIL
SCALE: DETAIL



2 P6.01 ISLAND SINK
SCALE: DETAIL



3 P6.01 SINK REINFORCEMENT
SCALE: DETAIL



5 P6.01 GAS PIPING UNDERGROUND
NOT TO SCALE



6 P6.01 LAB GAS VALVE
SCALE: DETAIL

City Of Bend Approval Stamp:

#	Date	Description

Revision Schedule

PERMIT SET

PILOT BUTTE MIDDLE SCHOOL - BLDGS E&F
1501 NE Neff Road,
Bend OR 97701

BLRB architects

Drawing Title:
PLUMBING LEGEND AND SCHEDULES

Date : 02.09.2018	Drawn By : INITIALS
Revised Date :	Project No. 17.34B
Stamp	Sheet No. P6.01

REGISTERED PROFESSIONAL ENGINEER 17889PE JULY 25, 1995 SCOTT W. MILLER EXPIRES: 31DEC18