

City Of Bend Approval Stamp:

- KEYED NOTES:
1. REMOVE PLUMBING FIXTURE. CAP WASTE BELOW FLOOR.
 2. REMOVE PLUMBING FIXTURE. CAP WASTE IN WALL.
 3. REMOVE (E)FLOOR DRAIN. PROVIDE NEW CLEAN-OUT AT END OF LINE.
 4. CAP CW, HW AND GAS LINES BELOW FLOOR.

- GENERAL NOTES:
1. ABANDON ALL UNDERSLAB CW, HW, HWR AND GAS PIPING IN PLACE EXCEPT FOR EXISTING BOYS/GIRLS RESTROOMS. DEMO ALL GALVANIZED DOMESTIC WATER PIPING ABOVE GRADE FOR REPLACEMENT WITH NEW COPPER OR PEX LINES.

1 UNDERSLAB PLUMBING DEMO PLAN - BUILDING E
PD1.01 SCALE: 1/8"=1'-0"

3	3/15/18	PLAN REVIEW COMMENTS
2	3/13/18	ADDENDUM 1
1	2/19/18	DISTRICT REVIEW COMMENTS
#	Date	Description
Revision Schedule		

PERMIT & CONSTRUCTION SET

PILOT BUTTE MIDDLE SCHOOL - BLDGS E&F
1501 NE Neff Road,
Bend OR 97701

BLRB architects


TACOMA	SPOKANE	PORTLAND	BEND
1250 Pacific Avenue Suite 100 Westport WA 98592 253.627.5591	505 W Riverside Suite 100 Westport WA 98592 509.251.5385	1001 SW 5th Avenue Suite 1000 Oregon 97204 503.551.8907	404 SW Columbia St Suite 100 Oregon 97702 541.595.6506
BLRB.com			

Drawing Title:
UNDERSLAB PLUMBING DEMO PLAN - BUILDING E

Date : 02.19.2018 Drawn By : TB

Revised Date : Project No. 17.34B

Stamp Sheet No.



Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PH: (503) 254-0548
FAX: (503) 254-0677
CONTACT: TAKAKO BAKER

PD1.01

BLRB ARCHITECTS, P.S.