

 **1** UNDERSLAB PLUMBING FLOOR PLAN – BUILDING E  
P1.01 SCALE: 1/8"=1'-0"

City Of Bend Approval Stamp:

- KEYED NOTES:**
1. CONNECT (E)WASTE TO NEW PLUMBING FIXTURE.
  2. 1/2" S, 1/2" CW AND 1-1/2" V TO ISLAND PLUMBING FIXTURE UP IN WALL.
  3. FEED TRAP PRIMER FROM NEAREST SCIENCE CLASS-ROOM SINK.
  4. PRIMING LINE FROM APPROVED PRIMING VALVE.
- GENERAL:**
1. USE FERRO CONNECTION FITTING WHERE NEW AW PIPE CONNECTION IS MADE TO THE EXISTING ACID WASTE PIPING.

#	Date	Description
3	3/15/18	PLAN REVIEW COMMENTS
2	3/13/18	ADDENDUM 1
1	2/19/18	DISTRICT REVIEW COMMENTS
#	Date	Description

**PERMIT & CONSTRUCTION SET**

**PILOT BUTTE MIDDLE SCHOOL - BLDGS E&F**  
1501 NE Neff Road,  
Bend OR 97701


**BLRB architects**

<b>TACOMA</b> 1050 Pacific Avenue Suite 100 Tacoma WA 98402 253.627.5599	<b>SPOKANE</b> 505 W Riverside Suite 500 Spokane WA 99201 509.252.0385	<b>PORTLAND</b> 1000 SW 5th Avenue Suite 1100 Oregon 97204 503.555.0707	<b>BEND</b> 404 SW Columbia St Suite 100 Oregon 97702 541.536.6906
--	--	---	--

BLRB.com

Drawing Title:  
**UNDERSLAB PLUMBING FLOOR PLAN - BUILDING E**

Date : 02.19.2018	Drawn By : TB
Revised Date :	Project No. 17.34B
Stamp	Sheet No.



**P1.01**

**MET**  
Consulting Engineers  
2007 S.E. Ash St.  
Portland, OR 97214  
PHN: (503) 234-0548  
FAX: (503) 234-0877  
WWW.MET-ENG.COM  
CONTACT: TAKAKO BAKER