TELCOM SYMBOL LIST

SIGNAL SYMBOLS

- TELEPHONE OUTLET +18" A.F.F.
- W — WALL TELEPHONE OUTLET +48" A.F.F.
- CABLE FOR WIRELESS ACCESS POINT
- (2) PORTS PER OUTLET +18" A.F.F., U.O.N.
- C — 'C' INDICATES OUTLET ABOVE COUNTER
- (X) — 'X' INDICATES CABLE/PORT COUNT IN FP
- OUTLET IN FLOOR BOX (2) PORTS U.O.N.
- OUTLET INSTALLED IN POKE-THROUGH
- CATV OUTLET +18" A.F.F., U.O.N.
- JUNCTION BOX
- AV — AUDIO/VISUAL OUTLET +18" A.F.F., U.O.N.
- CLOCK
- FLOOR STANDING DATA RACK
- DOUBLE SIDED VERTICAL CABLE MANAGER
- LADDER RACK/ CABLE TRAY

WIRING SYMBOLS



FIRE ALARM SYMBOLS

- F — FIRE ALARM MANUAL PULL STATION, +48" A.F.F.
- M — MAGNETIC DOOR HOLDER
- I — SMOKE DETECTOR, DUCT, IONIZATION TYPE W/SAMPLING TUBE
- P — SMOKE DETECTOR, DUCT, PHOTO TYPE W/SAMPLING TUBE
- I — SMOKE DETECTOR, IONIZATION TYPE
- P — SMOKE DETECTOR, PHOTO TYPE
- H — HEAT DETECTOR, RATE-OF-RISE OR FIXED TEMP.
- FMS — FIRE MAIN FLOW DETECTION SWITCH
- FMT — FIRE MAIN TAMPER DETECTION SWITCH
- FB — FIRE ALARM BELL, +80" A.F.F., U.O.N.
- F — FIRE ALARM HORN, +80" A.F.F.
- F — FIRE ALARM HORN/STROBE, +80" TO 96" A.F.F.
- F OR F — FIRE ALARM STROBE, +80" TO 96" A.F.F.
- FIM — FIRE ALARM INPUT MODULE
- FOM — FIRE ALARM OUTPUT MODULE
- FACP — FIRE ALARM CONTROL PANEL
- FARA — FIRE ALARM REMOTE ANNUNCIATOR
- S — STAND ALONE – RESIDENTIAL SMOKE DETECTOR 120V W/ BATTERY
- CO — CARBON MONOXIDE DETECTOR RESIDENTIAL 120V W/ BATTERY

NOTATIONS

- 1 — DRAWING NOTE
- 2 / E3 — DETAIL REFERENCE: TOP=DETAIL NO., BOTTOM=SHEET NO.
- EF 2 — MECHANICAL EQUIPMENT MARK NO. (SEE EQUIPMENT SCHEDULE)
- AAA — EQUIPMENT NO. (SEE EQUIPMENT SCHEDULE)

SECURITY SYMBOLS

- CCTV CAMERA
- PTZ — DOME CAMERA (W/ PTZ OR FIX)
- I 'X' — INTRUSION SENSOR ('X' INDICATES DEG. OF COVERAGE)
- G.B. — GLASS BREAK SENSOR
- D — DOOR POSITION SENSOR
- K — KEYPAD +48" A.F.F.
- C.R. — PROXIMITY CARD READER +48" A.F.F.
- E.L. — ELECTRIC LATCH/LOCK
- REX — REQUEST TO EXIT DEVICE
- APPROX. CAMERA VIEW

PAGING AND INTERCOM SYMBOLS

- S — CEILING MOUNTED SPEAKER
- WALL MOUNTED SPEAKER
- INTERCOM CALL SWITCH
- SIGNAL BUZZER
- SIGNAL HORN
- VC — VOLUME CONTROL +48" A.F.F.



ABBREVIATIONS

A.F.F.	ABOVE FINISHED FLOOR
APP.	APPROXIMATE
C	CONDUIT
C.O.	CONDUIT ONLY
CATV	CABLE TELEVISION
CCTV	CLOSED CIRCUIT TELEVISION
CLG	CEILING MOUNTED
(E)	EXISTING
FACP	FIRE ALARM CONTROL PANEL
FP	FACEPLATE
FS	FLOW SWITCH (SEE FIRE ALARM SYMBOLS)
FSD	FIRE/SMOKE DAMPER
GND	GROUND
I R	INFRARED
JB	JUNCTION BOX
N.I.C.	NOT IN CONTRACT
OFCI	OWNER FURNISHED, CONTRACTOR INSTALLED
OFOI	OWNER FURNISHED, OWNER INSTALLED
P.A.	PUBLIC ADDRESS
P.E.T.	PROTECTIVE ENTRANCE TERMINAL
SD	SMOKE DAMPER
TS	TAMPER SWITCH (SEE FIRE ALARM SYMBOLS)
TTB	TELEPHONE TERMINAL BOARD
TYP.	TYPICAL
U.G.	UNDERGROUND
U.O.N.	UNLESS OTHERWISE NOTED
W.G.	WIRE GUARD
W.P.	WEATHERPROOF
X.P.	EXPLOSION PROOF

NOTE: SOME OF THE SYMBOLS AND ABBREVIATIONS ON THIS LIST MAY NOT APPLY TO THIS PROJECT.

COPYRIGHT © BBT ARCHITECTS

G:\Active Bend Junior Arch\14\14_Bend-LaPine SD sec.crit ver\Bend-LaPine SD sec.crit ver-Information\TelCom\14.14_T0.0.dwg Feb 14,2018 - 8:53am

REGISTERED PROFESSIONAL ENGINEER
16,597
OREGON
JULY 20, 1993
ROBERT L. CONNELL
EXPIRES 12-31-2019

BBT ARCHITECTS
1160 nw Simpson Ave. - Suite 100 - Bend, Oregon 97702
t 541.382.5535 | f 541.389.8033

Bend-La Pine Schools SECURITY UPGRADES
High Lakes Elementary School
2500 NW High Lakes Loop
Bend, Oregon 97703

ISSUED:	DATE:
PERMIT SET / BID SET	02/14/18

JOB NUMBER:	
DRAWN BY:	GMA
CHECKED BY:	RLC

SHEET TITLE
TELCOM SYMBOL LIST

SHEET NUMBER
T0.0

MFIA INC. Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
WWW.MFIA-ENG.COM
CONTACT: GARY ADOVNIK