


GENERAL NOTES:
1. CONTRACTOR TO VERIFY EXISTING CONDITIONS, LOCATION, SIZE, INVERT ELEVATION, ETC OF EXISTING SYSTEMS PRIOR TO INSTALLATION.

KEYED NOTES:
1. 1-1/2"V UP IN WALL.
2. CONNECT (E)4"W RISER TO NEW BELOW SLAB AND REROUTE TO DOWNSTREAM OF GREAT TRAP.
3. CONNECT 4"W TO (E)4"W STUB-OUT.
4. CONNECT (N)3"GW TO (E)4"GW.



1 UNDERSLAB PLUMBING PLAN -WEST
P2.1 1/4"=1'-00"

M
F
I
A
INC.
Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
WWW.MFIA-ENG.COM
CONTACT: TAKAKO BAKER



BLUE ROOM ARCHITECTURE & DESIGN, P.S.

HISTORIC SALTESE SCHOOLHOUSE
BOX 628, VERADALE, WA 99037
(509) 456-6800


www.brdstudio.com

CIVIL ENGINEER

FOOD SERVICE CONSULTANT
DK DESIGN, INC.
15040 NE 95TH ST., #101
REDMOND, WA 98052
(425) 881-8622

MECHANICAL ENGINEERS
MFIA INC CONSULTING ENGINEERS
2007 SE ASH STREET
PORTLAND, OR 97214
(503) 234-0548

ELECTRICAL ENGINEERS
MFIA INC CONSULTING ENGINEERS
2007 SE ASH STREET
PORTLAND, OR 97214
(503) 234-0548



THIS PROJECT INCLUDES THE INTERIOR REMODEL OF AN EXISTING CRITICAL ACCESS HOSPITAL FACILITY THAT IS TO REMAIN OPERATIONAL AT ALL TIMES. CONTRACTOR BIDS SHALL BE BASED ON VERIFICATION OF EXISTING ON-SITE CONDITIONS. UNINTERRUPTED ESSENTIAL HEALTHCARE SERVICES DURING THE CONSTRUCTION PERIOD, ONGOING COORDINATION OF ALL RELATED TRADES FOR CURRENT CODE COMPLIANCE, PATIENT SAFETY, JURISDICTIONAL REVIEW, SYSTEM PERFORMANCE AND UNFORESEEN CLINICAL DISRUPTION(S).

INTERIOR REMODEL FOR:



211 SKYLINE DRIVE
WHITE SALMON, WASHINGTON 98672

PROJECT NUMBER: 18002c
DATE: 2/14/2018
DRAWN: TB
REVISIONS:

PERMIT SET

UNDERSLAB
PLUMBING
PLAN - WEST

P2.1A

© 2018 BLUE ROOM ARCHITECTURE & DESIGN, P.S.