



GENERAL NOTES:

1. PROVIDE MOUNTING FOR NEWLY INSTALLED DISCONNECTS AND RECEPTACLES.
2. DISCONNECT POWER TO EXISTING UNITS. RECONNECT TO NEW PANELS PER SCHEDULE.

- SHEET NOTES:**
- ① PROVIDE FACTORY INSTALLED EXTERNALLY MOUNTED UNIT DISCONNECT.
 - ② PROVIDE FACTORY INSTALLED EXTERNALLY MOUNTED 15A, GFI AND WEATHER PROOF RECEPTACLE.
 - ③ REUSE EXISTING DISCONNECT FOR NEW POWER CONNECTION.
 - ④ DISCONNECT EXISTING RTU FROM EXISTING POWER. CUT CONDUIT BACK AND PROVIDE WATER TIGHT CAP FOR FUTURE USE.

1 ELECTRICAL ROOF PLAN
E3.0 SCALE: 1/8" = 1'-0"

RECORD DRAWING:
 THIS DRAWING HAS BEEN UPDATED TO REFLECT CHANGES MADE DURING CONSTRUCTION BASED UPON INFORMATION FURNISHED TO THE ENGINEER BY THE INSTALLATION CONTRACTOR. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS GIVEN BY MERRYMAN BARNES ARCHITECTS, INC. AS TO THE ACCURACY AND/OR COMPLETENESS OF THIS INFORMATION.

AS-BUILT PREPARED 1.22.2020

FOSTER SHELTER
 6144 SE FOSTER RD, PORTLAND, OREGON 97206
 CLIENT: MULTNOMAH COUNTY



PROJECT NO. 17-0918	ISSUE DATE 05.04.2018
REVISIONS	
CHECKSHEET 5.23.2018	
OWNER CHANGES 2.26.2019	

SHEET

 ELECTRICAL
 ROOF PLAN
E3.0
 PERMIT SET
© MERRYMAN BARNES ARCHITECTS, INC.