

1 TELCOM CABLING DETAIL
T2.02 N.T.S.


KEYED NOTES:

- MEDIA PANEL: 42"H X 14.38" W X 5" D, FLUSH MOUNT IN WALL, RF TRANSPARENT MEDIA PANEL.
- SPACE RESERVED FOR OWNER SUPPLIED NETWORK ELECTRONICS.
- PROVIDE PHONE BOARD OR BOARDS AS NEEDED. CONTRACTOR MAY ADD INTERMEDIATE BOARDS IF LOCATIONS ARE APPROVED BY ARCHITECT AND TRUNK CABLE(S) AND CONNECTIONS ARE PROVIDED. COORDINATE COAX HOME RUNS WITH COMCAST.
- PROVIDE (1) RG-6 AND (1) CATEGORY 6 JACK COLORS AS SELECTED BY ARCHITECT.
- PROVIDE "F" TYPE CONNECTOR (HUBBELL PART # SFFX OR APPROVED EQUAL) AND FACEPLATE (#NSP11 OR APPROVED EQUAL) COLOR AS SELECTED BY ARCHITECT.
- PROVIDE (2) 4" SLEEVES BETWEEN FLOORS FOR UTILITY USE AND (2) 2" SPARES FROM ROOM 210 THRU 410.

GENERAL NOTES:

- CATEGORY 6: CMR, RISER RATED, UTP CABLING BETWEEN INDIVIDUAL OUTLET LOCATIONS AS INDICATED ON THE DRAWINGS AND "MDU"/"SMART PANEL" (PANDUIT, LEVITON OR APPROVED EQUAL)
- RG-6/U COAX: NO. 16 AWG, SOLID, COPPER-COVERED STEEL CONDUCTOR. DOUBLE SHIELDED WITH 100 PERCENT ALUMINUM-FOIL SHIELD AND 60 PERCENT ALUMINUM BRAID. JACKETED WITH BLACK PVC OR PE, SUITABLE FOR INDOOR INSTALLATIONS. NFPA 70 TYPE CATV OR CM. (COMMSCOPE, GENERAL OR APPROVED EQUAL)
- PROVIDE CONDUIT SLEEVES BETWEEN FLOORS AS NEEDED AND A SPARE 4" SLEEVE BETWEEN FLOORS.
- PROVIDE REQUIRED PHONE OUTLETS FOR SECURITY SYSTEM AND ELEVATOR.
- PERFORM TESTS FOR WIRE MAP, LENGTH, ATTENUATION, NEXT, AND PROPAGATION DELAY FOR CATEGORY 5e LINKS.
- THE CONTRACTOR SHALL COMPILE TEST RESULTS INTO FORMS THAT CONTAIN ALL APPLICABLE TEST DATA. ALL FORMS SHALL BE NEATLY COMPLETED AND LEGIBLE WHEN SUBMITTED.
- UTILITIES WILL PROVIDE, INSTALL AND TERMINATE ALL CABLING FROM THE STREET THROUGH THE INTERMEDIATE (IDF) SPACES. UTILITY WILL PROVIDE CABLING TO CONTRACTOR TO INSTALL FROM IDF TO UNTIL PANELS. CONTRACTOR WILL PROVIDE AND INSTALL CABLING WITHIN UNITS.

FIRE ALARM AND DETECTION SYSTEM SHOWN ON PLAN(S) ARE FOR DESIGN INTENT ONLY. THIS IS A DEFERRED SUBMITTAL SYSTEM REQUIRING THE CONTRACTOR TO COMPLETE THE PERMIT READY DESIGN AND CALCULATIONS AS REQUIRED PER THE AUTHORITY HAVING JURISDICTION. VERIFY BUILDING OCCUPANCY TYPE AND OCCUPANT LOAD WITH ARCHITECTURAL PLANS.



M Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
INC. WWW.MFIA-ENG.COM
CONTACT: GARY ADOVNIK

CARLETON HART ARCHITECTURE P.C.
830 SW 10th Avenue #200 Portland, OR 97205
503 243 2252 www.carletonhart.com

SUSAN EMMONS - NORTH BUILDING
680 NW 18TH AVENUE,
PORTLAND, OR
NORTHWEST HOUSING ALTERNATIVES
BID SET

TECHNOLOGY
DETAILS
PROJECT NO.
17004
03/12/2021
REVISIONS: A