



GENERAL SHEET NOTES:

1. CONTRACTOR TO VERIFY LOCATION AND SIZES OF EXISTING DUCTWORK, PIPING, EQUIPMENT, CONTROLS, ETC. PRIOR TO COMMENCING WORK. IF SHOWN LOCATION OR SIZE DIFFER FROM PLANS, LOCATE THE CORRECT SIZE ON SITE AND ADJUST CONNECTION ACCORDINGLY. PROVIDE NEW DUCT, PIPING, EQUIPMENT, CONTROLS AND ETC. IF ONE IS NOT PRESENT.
2. CONTRACTOR TO DEMOLISH PIPE, DUCTWORK, CONTROLS WIRING, ETC., INCLUDING PIPE, DUCTWORK, WIRING NOT SHOWN ON THE CONSTRUCTION DOCUMENTS. CAP ALL UNUSED DUCT, PIPE AND WIRING TO OUTSIDE OF THE AREA OF PROJECT SCOPE.
3. CONTRACTOR TO PROVIDE UL LISTED 3M FIRE STOPPING AT ALL NEW AND EXISTING PIPE AND DUCT PENETRATIONS, INCLUDING PENETRATIONS NOT SHOWN ON THE CONSTRUCTION DOCUMENTS.
4. SOME DEMO AND NEW WORK FALLS OUTSIDE OF THE OUTLINE OF THE PHASES OR PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR SETTING THE APPROPRIATE INFECTIOUS CONTROL BOUNDARIES FOR EACH CONSTRUCTION PHASE.
5. CONTRACTOR TO KEEP RECORD OF NEW SYSTEM, CONTROLS, PIPING, DUCTWORK INSTALLED AS WELL AS EXISTING TO REMAIN, AND ITEMS DISCOVERED OR ENCOUNTERED ON SITE THAT WERE NOT SHOWN ON THE PLANS. THESE INCLUDE SYSTEMS, DUCTWORK, PIPE, ETC THAT DO NOT AFFECT OR ARE NOT PART OF THE PROJECT SCOPE, BUT ARE WITHIN THE BOUNDARIES OF THE PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR PROVIDING AS-BUILT DRAWINGS THAT ACCURATELY REFLECT THE CONDITIONS WITHIN THE BOUNDARY OF THE PROJECT SCOPE AT THE END OF THE PROJECT.
6. PIPING LOCATIONS SHOWN ON THE PLAN ARE APPROXIMATE. CONTRACTOR TO VERIFY EXACT LOCATION PRIOR TO COMMENCING WORK.
7. SEE VAV BOX AND HEATING COIL VALVES SCHEDULES ON M6.00 FOR 2-WAY OR 3-WAY CONTROL VALVE.
8. SEE M6.00-M6.04 FOR MECHANICAL LEGEND, SCHEDULES AND DETAILS.
9. PROVIDE ACCESS PANEL IF NECESSARY IN HARD LID CEILING OR WALL FOR ACCESS TO VAV UNITS OR HVAC EQUIPMENT THAT REQUIRES MAINTENANCE.



1 PARTIAL FLOOR PLAN- MECHANICAL PIPING  
M3.11 1/4"=1'-0"





1 PARTIAL FLOOR PLAN— MECHANICAL PIPING  
M3.12 1/4"=1'-0"


GENERAL SHEET NOTES:

- CONTRACTOR TO VERIFY LOCATION AND SIZES OF EXISTING DUCTWORK, PIPING, EQUIPMENT, CONTROLS, ETC. PRIOR TO COMMENCING WORK. IF SHOWN LOCATION OR SIZE DIFFER FROM PLANS, LOCATE THE CORRECT SIZE ON SITE AND ADJUST CONNECTION ACCORDINGLY. PROVIDE NEW DUCT, PIPING, EQUIPMENT, CONTROLS AND ETC. IF ONE IS NOT PRESENT.
- CONTRACTOR TO DEMOLISH PIPE, DUCTWORK, CONTROLS WIRING, ETC., INCLUDING PIPE, DUCTWORK, WIRING NOT SHOWN ON THE CONSTRUCTION DOCUMENTS. CAP ALL UNUSED DUCT, PIPE AND WIRING TO OUTSIDE OF THE AREA OF PROJECT SCOPE.
- CONTRACTOR TO PROVIDE UL LISTED 3M FIRE STOPPING AT ALL NEW AND EXISTING PIPE AND DUCT PENETRATIONS, INCLUDING PENETRATIONS NOT SHOWN ON THE CONSTRUCTION DOCUMENTS.
- SOME DEMO AND NEW WORK FALLS OUTSIDE OF THE OUTLINE OF THE PHASES OR PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR SETTING THE APPROPRIATE INFECTIOUS CONTROL BOUNDARIES FOR EACH CONSTRUCTION PHASE.
- CONTRACTOR TO KEEP RECORD OF NEW SYSTEM, CONTROLS, PIPING, DUCTWORK INSTALLED AS WELL AS EXISTING TO REMAIN, AND ITEMS DISCOVERED OR ENCOUNTERED ON SITE THAT WERE NOT SHOWN ON THE PLANS. THESE INCLUDE SYSTEMS, DUCTWORK, PIPE, ETC THAT DO NOT AFFECT OR ARE NOT PART OF THE PROJECT SCOPE, BUT ARE WITHIN THE BOUNDARIES OF THE PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR PROVIDING AS-BUILT DRAWINGS THAT ACCURATELY REFLECT THE CONDITIONS WITHIN THE BOUNDARY OF THE PROJECT SCOPE AT THE END OF THE PROJECT.
- PIPING LOCATIONS SHOWN ON THE PLAN ARE APPROXIMATE. CONTRACTOR TO VERIFY EXACT LOCATION PRIOR TO COMMENCING WORK.
- SEE VAV BOX AND HEATING COIL VALVES SCHEDULES ON M6.00 FOR 2-WAY OR 3-WAY CONTROL VALVE.
- SEE M6.00-M6.04 FOR MECHANICAL LEGEND, SCHEDULES AND DETAILS.
- PROVIDE ACCESS PANEL IF NECESSARY IN HARD LID CEILING OR WALL FOR ACCESS TO VAV UNITS OR HVAC EQUIPMENT THAT REQUIRES MAINTENANCE.

SLCH - ED and Surgery

Samaritan Health Services: Lebanon Community Hospital


525 N. Santiam Highway, Lebanon, OR 97355



ISSUE DATE: 06.05.2015

REVISIONS:

PARTIAL FLOOR  
PLAN -  
MECHANICAL  
PIPING  
M3.12




CLARK KJOS  
ARCHITECTS, LLC

333 NW 5th Ave.  
Portland, OR 97209  
Phone: 503/224-4848  
Fax: 503/224-7116


Permit Set







## GENERAL SHEET NOTES:

- CONTRACTOR TO VERIFY LOCATION AND SIZES OF EXISTING DUCTWORK, PIPING, EQUIPMENT, CONTROLS, ETC., PRIOR TO COMMENCING WORK. IF SHOWN LOCATION OR SIZE DIFFER FROM PLANS, LOCATE THE CORRECT SIZE ON SITE AND ADJUST CONNECTION ACCORDINGLY. PROVIDE NEW DUCT, PIPING, EQUIPMENT, CONTROLS AND ETC. IF ONE IS NOT PRESENT.
- CONTRACTOR TO DEMOLISH PIPE, DUCTWORK, CONTROLS WIRING, ETC., INCLUDING PIPE, DUCTWORK, WIRING NOT SHOWN ON THE CONSTRUCTION DOCUMENTS. CAP ALL UNUSED DUCT, PIPE AND WIRING TO OUTSIDE OF THE AREA OF PROJECT SCOPE.
- CONTRACTOR TO PROVIDE UL LISTED 3M FIRE STOPPING AT ALL NEW AND EXISTING PIPE AND DUCT PENETRATIONS, INCLUDING PENETRATIONS NOT SHOWN ON THE CONSTRUCTION DOCUMENTS.
- SOME DEMO AND NEW WORK FALLS OUTSIDE OF THE OUTLINE OF THE PHASES OR PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR SETTING THE APPROPRIATE INFECTIOUS CONTROL BOUNDARIES FOR EACH CONSTRUCTION PHASE.
- CONTRACTOR TO KEEP RECORD OF NEW SYSTEM, CONTROLS, PIPING, DUCTWORK INSTALLED AS WELL AS EXISTING TO REMAIN, AND ITEMS DISCOVERED OR ENCOUNTERED ON SITE THAT WERE NOT SHOWN ON THE PLANS. THESE INCLUDE SYSTEMS, DUCTWORK, PIPE, ETC THAT DO NOT AFFECT OR ARE NOT PART OF THE PROJECT SCOPE, BUT ARE WITHIN THE BOUNDARIES OF THE PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR PROVIDING AS-BUILT DRAWINGS THAT ACCURATELY REFLECT THE CONDITIONS WITHIN THE BOUNDARY OF THE PROJECT SCOPE AT THE END OF THE PROJECT.
- PIPING LOCATIONS SHOWN ON THE PLAN ARE APPROXIMATE. CONTRACTOR TO VERIFY EXACT LOCATION PRIOR TO COMMENCING WORK.
- SEE VAV BOX AND HEATING COIL VALVES SCHEDULES ON M6.00 FOR 2-WAY OR 3-WAY CONTROL VALVE.
- SEE M6.00-M6.04 FOR MECHANICAL LEGEND, SCHEDULES AND DETAILS.
- PROVIDE ACCESS PANEL IF NECESSARY IN HARD LID CEILING OR WALL FOR ACCESS TO VAV UNITS OR HVAC EQUIPMENT THAT REQUIRES MAINTENANCE.



1 PARTIAL FLOOR PLAN- MECHANICAL PIPING



M3.13 1/4"=1'-0"






GENERAL SHEET NOTES:

1. CONTRACTOR TO VERIFY LOCATION AND SIZES OF EXISTING DUCTWORK, PIPING, EQUIPMENT, CONTROLS, ETC. PRIOR TO COMMENCING WORK. IF SHOWN LOCATION OR SIZE DIFFER FROM PLANS, LOCATE THE CORRECT SIZE ON SITE AND ADJUST CONNECTION ACCORDINGLY. PROVIDE NEW DUCT, PIPING, EQUIPMENT, CONTROLS AND ETC. IF ONE IS NOT PRESENT.
2. CONTRACTOR TO DEMOLISH PIPE, DUCTWORK, CONTROLS WIRING, ETC., INCLUDING PIPE, DUCTWORK, WIRING NOT SHOWN ON THE CONSTRUCTION DOCUMENTS. CAP ALL UNUSED DUCT, PIPE AND WIRING TO OUTSIDE OF THE AREA OF PROJECT SCOPE.
3. CONTRACTOR TO PROVIDE UL LISTED 3M FIRE STOPPING AT ALL NEW AND EXISTING PIPE AND DUCT PENETRATIONS, INCLUDING PENETRATIONS NOT SHOWN ON THE CONSTRUCTION DOCUMENTS.
4. SOME DEMO AND NEW WORK FALLS OUTSIDE OF THE OUTLINE OF THE PHASES OR PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR SETTING THE APPROPRIATE INFECTIOUS CONTROL BOUNDARIES FOR EACH CONSTRUCTION PHASE.
5. CONTRACTOR TO KEEP RECORD OF NEW SYSTEM, CONTROLS, PIPING, DUCTWORK INSTALLED AS WELL AS EXISTING TO REMAIN, AND ITEMS DISCOVERED OR ENCOUNTERED ON SITE THAT WERE NOT SHOWN ON THE PLANS. THESE INCLUDE SYSTEMS, DUCTWORK, PIPE, ETC THAT DO NOT AFFECT OR ARE NOT PART OF THE PROJECT SCOPE, BUT ARE WITHIN THE BOUNDARIES OF THE PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR PROVIDING AS-BUILT DRAWINGS THAT ACCURATELY REFLECT THE CONDITIONS WITHIN THE BOUNDARY OF THE PROJECT SCOPE AT THE END OF THE PROJECT.
6. PIPING LOCATIONS SHOWN ON THE PLAN ARE APPROXIMATE. CONTRACTOR TO VERIFY EXACT LOCATION PRIOR TO COMMENCING WORK.
7. SEE VAV BOX AND HEATING COIL VALVES SCHEDULES ON M6.00 FOR 2-WAY OR 3-WAY CONTROL VALVE.
8. SEE M6.00-M6.04 FOR MECHANICAL LEGEND, SCHEDULES AND DETAILS.
9. PROVIDE ACCESS PANEL IF NECESSARY IN HARD LID CEILING OR WALL FOR ACCESS TO VAV UNITS OR HVAC EQUIPMENT THAT REQUIRES MAINTENANCE.



1 PARTIAL FLOOR PLAN-- MECHANICAL PIPING

1/4"=1'-0"



ISSUE DATE: 06.05.2015


REVISIONS:

△ SAME DAY REV. 10-5-15



GENERAL SHEET NOTES:

1. CONTRACTOR TO VERIFY LOCATION AND SIZES OF EXISTING DUCTWORK, PIPING, EQUIPMENT, CONTROLS, ETC. PRIOR TO COMMENCING WORK. IF SHOWN LOCATION OR SIZE DIFFER FROM PLANS, LOCATE THE CORRECT SIZE ON SITE AND ADJUST CONNECTION ACCORDINGLY. PROVIDE NEW DUCT, PIPING, EQUIPMENT, CONTROLS AND ETC. IF ONE IS NOT PRESENT.
2. CONTRACTOR TO DEMOLISH PIPE, DUCTWORK, CONTROLS WIRING, ETC., INCLUDING PIPE, DUCTWORK, WIRING NOT SHOWN ON THE CONSTRUCTION DOCUMENTS. CAP ALL UNUSED DUCT, PIPE AND WIRING TO OUTSIDE OF THE AREA OF PROJECT SCOPE.
3. CONTRACTOR TO PROVIDE UL LISTED 3M FIRE STOPPING AT ALL NEW AND EXISTING PIPE AND DUCT PENETRATIONS, INCLUDING PENETRATIONS NOT SHOWN ON THE CONSTRUCTION DOCUMENTS.
4. SOME DEMO AND NEW WORK FALLS OUTSIDE OF THE OUTLINE OF THE PHASES OR PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR SETTING THE APPROPRIATE INFECTIOUS CONTROL BOUNDARIES FOR EACH CONSTRUCTION PHASE.
5. CONTRACTOR TO KEEP RECORD OF NEW SYSTEM, CONTROLS, PIPING, DUCTWORK INSTALLED AS WELL AS EXISTING TO REMAIN AND ITEMS DISCOVERED OR ENCOUNTERED ON SITE THAT WERE NOT SHOWN ON THE PLANS. THESE INCLUDE SYSTEMS, DUCTWORK, PIPE, ETC THAT DO NOT AFFECT OR ARE NOT PART OF THE PROJECT SCOPE, BUT ARE WITHIN THE BOUNDARIES OF THE PROJECT SCOPE. CONTRACTOR IS RESPONSIBLE FOR PROVIDING AS-BUILT DRAWINGS THAT ACCURATELY REFLECT THE CONDITIONS WITHIN THE BOUNDARY OF THE PROJECT SCOPE AT THE END OF THE PROJECT.
6. PIPING LOCATIONS SHOWN ON THE PLAN ARE APPROXIMATE. CONTRACTOR TO VERIFY EXACT LOCATION PRIOR TO COMMENCING WORK.
7. SEE VAV BOX AND HEATING COIL VALVES SCHEDULES ON M6.00 FOR 2-WAY OR 3-WAY CONTROL VALVE.
8. SEE M6.00-M6.04 FOR MECHANICAL LEGEND, SCHEDULES AND DETAILS.
9. PROVIDE ACCESS PANEL IF NECESSARY IN HARD LID CEILING OR WALL FOR ACCESS TO VAV UNITS OR HVAC EQUIPMENT THAT REQUIRES MAINTENANCE.



1 PENTHOUSE FLOOR PLAN- MECHANICAL PIPING  
M3.15 1/4"=1'-0"