



1 FIRST FLOOR PLAN – DATA
T301 SCALE: 1/8" = 1'-0"

- NOTES:
- 1. FLOORBOXES PROVIDED BY ELECTRICAL COORDINATE BOX MAKE AND MODEL AND PROVIDE APPROPRIATE FACEPLATE.
 - 2. PROVIDE LADDER RACK FOR SEISMIC BRACING ON DATA RACKS.

- GENERAL NOTES:
- A. TECHNOLOGY DRAWINGS ARE DIAGMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE TECHNOLOGY CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL TECHNOLOGY EQUIPMENT, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
 - B. THE TECHNOLOGY CONTRACTOR SHALL REFER TO THE ARCHITECTURAL DRAWINGS FOR ALL MOUNTING HEIGHTS AND FINISHES OF DEVICES AND FIXTURES.
 - C. COORDINATE WITH MECHANICAL PLANS FOR LOCATIONS OF SMOKE, FIRE/SMOKE DAMPERS, AND ROOF TOP UNITS REQUIRING CONNECTION TO FIRE ALARM SYSTEM.
 - D. FOR VOICE/DATA OUTLETS PROVIDE A SINGLE GANG MUD-RING WITH A 1" CONDUIT FROM THE TOP OF THE MUD-RING TO ACCESSIBLE CEILING SPACE. TERMINATE CONDUIT WITH END CONNECTORS AND THREAD ON PLASTIC BUSHING FOR CABLE PROTECTION. OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 18" SEPARATION. COORDINATE WITH ELECTRICAL.
 - E. COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.

VERIFY SCALE

THIS BAR IS ONE INCH ON ORIGINAL DRAWING

0" ————— 1"

ADJUST SCALES ACCORDINGLY, IF NOT ONE INCH ON THIS SHEET

65% DESIGN DEVELOPMENT

| | | | | |
|---------------------------|-------|-------------|------------|-----------|
| | | | | |
| | | | | |
| | | | | |
| REV. | DATE | DESCRIPTION | | BY |
| TULELAKE NWR | | | T301 | |
| NEW HEADQUARTERS FACILITY | | | | |
| FIRST FLOOR PLAN – DATA | | | | |
| DESIGNED | DRAWN | CHECKED | DATE | ASSET NO. |
| GMA | GMA | RLC | 02/11/2022 | 10072616 |