



- KEYED NOTES:**
1. —
 2. 4"Ø EXH FROM BELOW.
 3. —
 4. 4"Ø EA EXH UP THRU ROOF.
 5. 6"Ø RANGE HOOD EXH UP THRU ROOF.
- GENERAL NOTES:**
1. LIQ & SUCTION REF LINES ARE SHOWN AS A SINGLE PIPE FOR THE PURPOSE OF SHOWING ROUTING OF THE PIPING.
 2. SIDEWALL EXHAUST TERMINATIONS TO BE LOCATED 3'-0" MAX RADIUS FROM ANY OPERABLE WINDOWS. SEE ARCHITECTURAL ELEVATIONS.

KING+PARKS MULTI-FAMILY RESIDENCES

PROJECT SITE: NE Martin Luther King Jr. Boulevard & N Rosa Parks Way
OWNER: Portland Community Reinvestment Initiatives Inc. (PCRI)
6329 NE Martin Luther King Jr. Blvd. Portland, Oregon 97211

PROJECT NO. 16-0602
ISSUE DATE 06.23.2017
REVISIONS

SHEET
MECHANICAL 4TH
FLOOR PLAN - NORTH

M2.3B

NOT FOR CONSTRUCTION
PRICING SET

MFI Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
WWW.MFI-ENG.COM
CONTACT: Takoko Baker

MBA

MERRYMAN BARNES ARCHITECTS 4713 N ALBINA AVE SUITE 304 PORTLAND, OREGON 97217 P. 503.222.3753 WWW.MERRYMANBARNESARCHITECTS.COM