


KEYED NOTES:  
1. 6"Ø RANGE HOOD VENT TERMINATION AT ROOF. SEE 4/M6.3 FOR DETAIL.

GENERAL NOTES:  
1. LIQ & SUCTION REF LINES ARE SHOWN AS A SINGLE PIPE FOR THE PURPOSE OF SHOWING ROUTING OF THE PIPING.  
2. OSA INTAKES AT RTU'S TO BE LOCATED MINIMUM OF 10'-0" RADIUS FROM ANY EXHAUST VENTS, PLUMBING VENTS OR FLUE TERMINATIONS.



 **1** MECHANICAL ROOF PLAN - SOUTH  
M2.4A SCALE: 1/8" = 1'-0"

**M F I A** Consulting Engineers  
2007 S.E. Ash St.  
Portland, OR 97214  
PHN: (503) 234-0548  
FAX: (503) 234-0677  
WWW.MFIA-ENG.COM  
CONTACT: Takako Baker



## KING+PARKS MULTI-FAMILY RESIDENCES

PROJECT SITE: NE Martin Luther King Jr. Boulevard & N Rosa Parks Way  
OWNER: Portland Community Reinvestment Initiatives Inc. (PCRI)  
6329 NE Martin Luther King Jr. Blvd. Portland, Oregon 97211

PROJECT NO.	ISSUE DATE
16-0602	11.15.2017
REVISIONS	PLAN CHECK RESPONSE
1	07.15.2018

SHEET  
MECHANICAL  
ROOF PLAN - NORTH  
**M2.4A**

PERMIT SET  
© MERRYMAN BARNES ARCHITECTS, INC.