




PROJECT SITE: NE Martin Luther King Jr. Boulevard & N Rosa Parks Way
OWNER: Portland Community Reinvestment Initiatives Inc. (PCRI)
6329 NE Martin Luther King Jr. Blvd. Portland, Oregon 97211

VBA

MERRYMAN BARNES ARCHITECTS 4713 N. RINA AVE. SUITE 304 PORTLAND, OREGON 97217 P: 503.222.3753
www.merrymannbarnesarchitects.com

PROJECT NO.	ISSUE DATE
16-0602	11.15.2017
REVISIONS	
	PLAN CHECK RESPONSE 07.15.2018

SHEET
MECHANICAL 4TH
FLOOR PLAN

M2.3A

PERMIT SET


© MERRYMAN BARNES ARCHITECTS, INC.



1. —
2. 4"ø EXH FROM BELOW.
3. —
4. 4"ø EA EXH UP THRU ROOF.
5. 6"ø RANGE HOOD EXH UP THRU ROOF.
6. LINT TRAPS ON DRYER. SEE 5/M6.4 FOR DETAIL
4"ø DRYER EXHAUST DUCT WITH RECESSED DRYER BOX,
CONSTRUCTION SOLUTIONS DBX1000, OR APPROVED
EQUAL.

GENERAL NOTES:

1. LIQ & SUCTION REF LINES ARE SHOWN AS A SINGLE PIPE FOR THE PURPOSE OF SHOWING ROUTING OF THE PIPING.
2. SIDEWALL EXHAUST TERMINATIONS TO BE LOCATED 3'-0" MIN RADIUS FROM ANY OPERABLE WINDOWS. SEE ARCHITECTURAL ELEVATIONS.
3. TYPICAL DRYER DUCT TO BE CONSTRUCTED AS FOLLOWS: MATERIAL SHALL HAVE A SMOOTH INTERIOR FINISH & BE 0.016 INCH THICK. RIVET & SCREW PENETRATIONS TO THE DUCT WALL ARE NOT ACCEPTABLE. DRYER DUCT SHALL BE SUPPORTED EVERY 4 FOOT INTERVALS.
4. SEE SHEET M6.8 FOR WALL PENETRATION DETAILS. SEE ARCHITECTURAL FOR FLOOR/CEILING PENETRATION DETAIL.
5. SEE PLUMBING PLANS FOR CONDENSATE DRAIN LINES.
6. ROUTE EXHAUST DUCT FROM KITCHEN, ROOM TO EXTERIOR BETWEEN JOISTS. RAISE ASSEMBLIES TO WRAP AROUND EXHAUST DUCT, PER DETAIL A8.11.
7. BATHROOM CEILING FAN AND DUCTWORK ARE LOCATED IN THE DROPPED CEILING & BELOW RATED ASSEMBLY.



MFI
INC.
Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
WWW.MFI-ENG.COM
CONTACT: Takako Baker