



2-BRM UNIT TYPE A  
LEVEL 7 — TECHNOLOGY PLAN  
1  
T4.15  
SCALE: 1/2" = 1'-0"

GENERAL NOTES:

- A. ALL PLANS ARE DIAGRAMMATICAL. CONSULT ARCHITECTURAL PLANS FOR EXACT LOCATION OF ALL DEVICES AND FIXTURES.
- B. REFER TO DETAILS ON ELECTRICAL SHEET FOR ADDITIONAL INFORMATION REGARDING ADA REACH REQUIREMENTS FOR OUTLET MOUNTING HEIGHT.
- C. STANDARD RECEPTACLE MOUNTING HEIGHT IS 18" A.F.F. UNLESS OTHERWISE SPECIFIED. RECEPTACLES LOCATED BELOW WINDOW SILLS SHALL NOT BE LESS THE 15" A.F.F. AS REQUIRED BY CODE. DEVICES LOCATED BELOW WINDOW SILLS MAY BE ROTATED 90° IF NECESSARY. CONTRACTOR TO ADVISE ARCHITECT IMMEDIATELY IF CONFLICT BETWEEN DEVICES AND WINDOW SILLS IS APPARENT.
- D. COORDINATE WITH ELECTRICAL FOR ROUGH IN OF LOW VOLTAGE DEVICES. REFER TO 'E' SERIES SHEETS FOR ADDITIONAL INFORMATION.

NOTES:

- 1. SMOKE AND 'CO' DETECTOR CAN BE A SINGLE DEVICE.
- 2. FIRE ALARM STROBE/SPEAKER TO REPORT BUILDING FIRE ALARM CONDITIONS.
- 3. 42" HEIGHT 'RF' TRANSPARENT PANEL FOR UTILITY DEMARCATION WITHIN UNIT.

Project Name:

MINNESOTA  
PLACES

1208 N. JESSUP &  
5627 N. MINNESOTA  
(R226159, R226160)

PERMIT  
SUBMITTAL

Issued:  
PERMIT SUBMITTAL 8.16.2021

Job #: 2020  
ORIGINAL SHEET SIZE: 24" x 36"  
HALF SIZE: 12" x 18"

TYPICAL UNIT  
TECHNOLOGY  
PLANS

FIRE ALARM AND DETECTION SYSTEM SHOWN  
ON PLANS(S) ARE FOR DESIGN INTENT ONLY.  
THIS IS A DEFERRED SUBMITTAL SYSTEM  
REQUIRING THE CONTRACTOR TO COMPLETE  
THE PERMIT READY DESIGN AND  
CALCULATIONS AS REQUIRED PER THE  
AUTHORITY HAVING JURISDICTION. VERIFY  
BUILDING OCCUPANCY TYPE AND OCCUPANT  
LOAD WITH ARCHITECTURAL PLANS.

Drawing Number  
T4.15