


ART LIGHTING INSTALLATION NOTES:

1. REFER TO SHEETS E2.01A & E2.01B FOR EXTERIOR LIGHT FIXTURE LOCATIONS.

- 2. REFER TO SHEET E1.22 FOR LIGHTING FIXTURE SCHEDULE.
- 3. CONTRACTOR TO REFER TO THE ARTIST'S DETAILS AND ARCHITECTURAL ELEVATIONS TO COORDINATE EXACT LOCATIONS AND PROVIDE FIELD COORDINATION AS REQUIRED.
- 4. THE S9 LIGHT FIXTURES FOR THE ART TEXT PANELS ARE TO BE SURFACE MOUNTED WITH CLIPS ON STAND-OFFS, WITH THE CONDUCTORS ROUTED THROUGH THE STAND-OFFS AND EXTERIOR WALL WHERE IT WILL BE TIED INTO THE EXTERIOR BUILDING LIGHT CIRCUITS. REFER TO THE FIRST FLOOR LIGHTING PLANS. ALL PENETRATIONS ARE TO BE SEALED. SEE DETAIL #3 THIS SHEET.
- 5. THE 1/4" THICK TEXT PANEL IS 3/4" OFF THE SURFACE OF THE BRICK. THE S9 LIGHTS WILL ALSO BE 3/4" OFF THE SURFACE OF THE BRICK, ON THE STAND-OFFS.
- 6. THE LED DRIVERS/POWER PACKS FOR THE S9 FIXTURES SHALL BE LOCATED WITHIN THE SOFFIT ABOVE (OVER HANG AT 2ND FLOOR), PROVIDE AN ACCESS PANEL PAINTED TO MATCH THE SOFFIT.
- 7. REFER TO ARCHITECTURAL ELEVATIONS FOR WHICH "PATTERN" OF THE S10 LIGHT FIXTURES WILL BE INSTALLED AT EACH BUILDING COLUMN LOCATION. REFER TO AE2.01 & BE2.01 FOR POWER LOCATIONS. SEE DETAIL 2 ON THIS SHEET FOR LIGHT "PATTERNS".
- 8. THE S10 LIGHT FIXTURES SHALL BE RECESSED INTO THE EXTERIOR WALL AND THE LOCATIONS INDICATED BY THE ARTIST AND OWNER. REFER TO DETAIL #2 THIS SHEET



SHEET:

ARCHITECTURE INCORPORATED

2 7 5 C O U R T S T. N E S A L E M, O R 9 7 3 0 1 - 3 4 4 2 P: 5 0 3 . 3 9 0 . 6 5 0 0 www.studio3architecture.com

EXPIRES: July 5th, 2020

IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053

PLAN REVIEW 01.24.2020

2 PLAN REVIEW 03.13.2020 3 PLAN REVIEW 04.24.2020

4 PLAN REVIEW 08.10.2020

\$ PLAN REVIEW 09.17.2020

PLAN REVIEW 10.16.2020

**8** PLAN REVIEW 11.25.2020

PLAN REVIEW 03.26.2021

PLAN REVIEW 07.15.2021

COORDINATION 08.27.2021

<u>√3</u> COORDINATION 11.05.2021

COORDINATION 12.10.2021
COORDINATION 03.03.2022

11/06/2019

DATE:

REVISIONS

Consulting Engineers 2007 S.E. Ash St. Portland, OR 97214 PHN: (503) 234-0548 FAX: (503) 234-0677 INC. WWW.MFIA-ENG.COM CONTACT: DENISE TAYLOR