

TELCOM SYMBOL LIST

SIGNAL SYMBOLS

	TELEPHONE OUTLET +18" A.F.F.
	WALL TELEPHONE OUTLET +48" A.F.F.
	CABLE FOR WIRELESS ACCESS POINT
	(2) PORTS PER OUTLET +18" A.F.F., U.O.N.
	'C' INDICATES OUTLET ABOVE COUNTER
	'X' INDICATES CABLE/PORT COUNT IN FP
	OUTLET IN FLOOR BOX (2) PORTS U.O.N.
	OUTLET INSTALLED IN POKE-THROUGH
	CATV OUTLET +18" A.F.F., U.O.N.
	JUNCTION BOX
	AUDIO/VISUAL OUTLET +18" A.F.F., U.O.N.
	CLOCK
	FLOOR STANDING DATA RACK
	DOUBLE SIDED VERTICAL CABLE MANAGER
	LADDER RACK/ CABLE TRAY

WIRING SYMBOLS

	CONDUIT SIZE
	CONDUIT (UNDER SLAB OR FLOOR)
	FLEXIBLE CONNECTION
	CONDUIT, STUBBED & CAPPED

FIRE ALARM SYMBOLS

	FIRE ALARM MANUAL PULL STATION, +48" A.F.F.
	MAGNETIC DOOR HOLDER
	SMOKE DETECTOR, DUCT, IONIZATION TYPE W/SAMPLING TUBE
	SMOKE DETECTOR, DUCT, PHOTO TYPE W/SAMPLING TUBE
	SMOKE DETECTOR, IONIZATION TYPE
	SMOKE DETECTOR, PHOTO TYPE
	HEAT DETECTOR, RATE-OF-RISE OR FIXED TEMP.
	FIRE MAIN FLOW DETECTION SWITCH
	FIRE MAIN TAMPER DETECTION SWITCH
	FIRE ALARM BELL, +80" A.F.F., U.O.N.
	FIRE ALARM HORN, +80" A.F.F.
	FIRE ALARM HORN/STROBE, +80" TO 96" A.F.F.
	FIRE ALARM STROBE, +80" TO 96" A.F.F.
	FIRE ALARM INPUT MODULE
	FIRE ALARM OUTPUT MODULE
	FIRE ALARM CONTROL PANEL
	FIRE ALARM REMOTE ANNUNCIATOR
	STAND ALONE - RESIDENTIAL SMOKE DETECTOR 120V W/ BATTERY
	CARBON MONOXIDE DETECTOR RESIDENTIAL 120V W/ BATTERY
	AREA OF REFUGE COMMUNICATION PANEL

NOTATIONS

	DRAWING NOTE
	DETAIL REFERENCE: TOP=DETAIL NO., BOTTOM=SHEET NO.
	MECHANICAL EQUIPMENT MARK NO. (SEE EQUIPMENT SCHEDULE)
	EQUIPMENT NO. (SEE EQUIPMENT SCHEDULE)

SECURITY SYMBOLS

	CCTV CAMERA
	DOME CAMERA (W/ PTZ OR FIX)
	INTRUSION SENSOR ('X' INDICATES DEG. OF COVERAGE)
	GLASS BREAK SENSOR
	DOOR POSITION SENSOR
	KEYPAD +48" A.F.F.
	PROXIMITY CARD READER +48" A.F.F.
	ELECTRIC LATCH/LOCK
	REQUEST TO EXIT DEVICE

	APPROX. CAMERA VIEW
	APARTMENT ENTRY SYSTEM

PAGING AND INTERCOM SYMBOLS

	CEILING MOUNTED SPEAKER
	WALL MOUNTED SPEAKER
	INTERCOM CALL SWITCH
	SIGNAL BUZZER
	SIGNAL HORN
	VOLUME CONTROL +48" A.F.F.

	HOMERUN TO EQUIPMENT
	ZONE INDICATION
	SPEAKER CONNECTION, NOT INDICATING CABLE PATH

ABBREVIATIONS

A.F.F.	ABOVE FINISHED FLOOR
APP.	APPROXIMATE
C	CONDUIT
C.O.	CONDUIT ONLY
CATV	CABLE TELEVISION
CCTV	CLOSED CIRCUIT TELEVISION
CLG	CEILING MOUNTED
(E)	EXISTING
FACP	FIRE ALARM CONTROL PANEL
FP	FACEPLATE
FS	FLOW SWITCH (SEE FIRE ALARM SYMBOLS)
FSD	FIRE/SMOKE DAMPER
GND	GROUND
I R	INFRARED
JB	JUNCTION BOX
N.I.C.	NOT IN CONTRACT
OFCI	OWNER FURNISHED, CONTRACTOR INSTALLED
OFOI	OWNER FURNISHED, OWNER INSTALLED
P.A.	PUBLIC ADDRESS
P.E.T.	PROTECTIVE ENTRANCE TERMINAL
SD	SMOKE DAMPER
TS	TAMPER SWITCH (SEE FIRE ALARM SYMBOLS)
TTB	TELEPHONE TERMINAL BOARD
TYP.	TYPICAL
U.G.	UNDERGROUND
U.O.N.	UNLESS OTHERWISE NOTED
W.G.	WIRE GUARD
W.P.	WEATHERPROOF
X.P.	EXPLOSION PROOF

GENERAL NOTES:


- TECHNOLOGY DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE TECHNOLOGY CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL TECHNOLOGY EQUIPMENT, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- TECHNOLOGY ENTRANCE LOCATION DESIGN IS BASED ON INFORMATION PROVIDED BY THE UTILITY THRU THE DESIGN PROCESS. HOWEVER IT IS UP TO THE CONTRACTOR TO VERIFY CONDITIONS AND REQUIREMENTS HAVE NOT CHANGED PRIOR TO THE INSTALLATION DATE.
- COORDINATE WITH LOCAL UTILITY PROVIDER FOR EXACT SERVICE CONDUIT SIZES AND LOCATION TO ROUTE TO CONDUIT TO.
- CUSTOMER TO PROVIDE ALL TRENCHING AND BACKFILLING. TRENCH TO BE 36 INCHES DEEP AND 30 INCHES WIDE, MEASURED FROM FINAL GRADE.
- CONSULT WITH UTILITY PROVIDER REPRESENTATIVE 2 WEEKS BEFORE STARTING MAIN POWER TRENCHING FOR A PRE-CONSTRUCTION CONFERENCE. INCLUDED IN THIS CONFERENCE WILL BE EXCAVATOR, TECHNOLOGY UTILITY PROVIDER, TELCO, AND CATV.
- THE TECHNOLOGY CONTRACTOR SHALL REFER TO THE ARCHITECTURAL DRAWINGS FOR ALL MOUNTING HEIGHTS AND FINISHES OF DEVICES AND FIXTURES.
- COORDINATE WITH MECHANICAL PLANS FOR LOCATIONS OF SMOKE, FIRE/SMOKE DAMPERS, AND ROOF TOP UNITS REQUIRING CONNECTION TO FIRE ALARM SYSTEM.
- FOR VOICE/DATA OUTLETS PROVIDE A SINGLE GANG MUD-RING WITH A 1" CONDUIT FROM THE TOP OF THE MUD-RING TO ACCESSIBLE CEILING SPACE. TERMINATE CONDUIT WITH END CONNECTORS AND THREAD ON PLASTIC BUSHING FOR CABLE PROTECTION. OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 18" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- REFER TO ENLARGED TYPICAL UNIT PLANS (IF PROVIDED) FOR TYPICAL LAYOUTS FOR ALL APARTMENT UNIT TYPES.

STUDIO

3

ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T0.00



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.



PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS



**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T2.10



1
T2.10
GARAGE 0.5 - TECHNOLOGY
SCALE: 1/8" = 1'-0"



1
T2.11

GARAGE 1 — TECHNOLOGY

SCALE: 1/8" = 1'-0"

STUDIO

3

ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.



PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T2.11



1
T2.12

GARAGE 2 — TECHNOLOGY

SCALE: 1/8" = 1'-0"

STUDIO

3

ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.



PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T2.12



1
T2.13

GARAGE 3 — TECHNOLOGY

SCALE: 1/8" = 1'-0"

STUDIO

3

ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660


SHEET:

T2.13



NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

**T3.01
C**




IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

NOTES:


1. APARTMENT ENTRY AND CARD READER
WILL REQUIRE A PEDESTAL MOUNT,
COORDINATE WITH ARCHITECTURAL FOR
STYLE AND LOCATION. PROVIDE (2) 1"
CONDUITS FROM NEAREST POINT OF
ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL
SYSTEM WILL CONNECT TO ELEVATOR
CONTROLS TO ALLOW ACCESS TO
ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR
CAMERA TO ALLOW BETTER ANGLE OF
VIEW OF CARD READER AND ENTRY
PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT
CAMERA AND MOUNT. PROVIDE LENS
NECESSARY TO VIEW THE GREEN
SPACE.



AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T3.01
D



NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

**T3.01
F**




IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

NOTES:

1. APARTMENT ENTRY AND CARD READER
WILL REQUIRE A PEDESTAL MOUNT,
COORDINATE WITH ARCHITECTURAL FOR
STYLE AND LOCATION. PROVIDE (2) 1"
CONDUITS FROM NEAREST POINT OF
ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL
SYSTEM WILL CONNECT TO ELEVATOR
CONTROLS TO ALLOW ACCESS TO
ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR
CAMERA TO ALLOW BETTER ANGLE OF
VIEW OF CARD READER AND ENTRY
PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT
CAMERA AND MOUNT. PROVIDE LENS
NECESSARY TO VIEW THE GREEN
SPACE.




1 LEVEL 2 TECHNOLOGY FLOOR PLAN
3.02c SCALE: 1/8" = 1'-0"

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T3.02
C





IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

NOTES:

1. APARTMENT ENTRY AND CARD READER
WILL REQUIRE A PEDESTAL MOUNT,
COORDINATE WITH ARCHITECTURAL FOR
STYLE AND LOCATION. PROVIDE (2) 1"
CONDUITS FROM NEAREST POINT OF
ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL
SYSTEM WILL CONNECT TO ELEVATOR
CONTROLS TO ALLOW ACCESS TO
ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR
CAMERA TO ALLOW BETTER ANGLE OF
VIEW OF CARD READER AND ENTRY
PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT
CAMERA AND MOUNT. PROVIDE LENS
NECESSARY TO VIEW THE GREEN
SPACE.




1
3.02d LEVEL 2 TECHNOLOGY FLOOR PLAN
SCALE: 1/8" = 1'-0"

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660


SHEET:

T3.02
D



NOTES:


1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS



1 LEVEL 3 TECHNOLOGY FLOOR PLAN
3.03 SCALE: 1/8" = 1'-0"

NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.




IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

SHEET:



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660


SHEET:

T3.03
D



NOTES:

- APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
- CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
- PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
- EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.





IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

SHEET:



1
3.04

LEVEL 4 TECHNOLOGY FLOOR PLAN


SCALE: 1/8" = 1'-0"

STUDIO

3

ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS


NOTES:

1. APARTMENT ENTRY AND CARD READER
WILL REQUIRE A PEDESTAL MOUNT,
COORDINATE WITH ARCHITECTURAL FOR
STYLE AND LOCATION. PROVIDE (2) 1"
CONDUITS FROM NEAREST POINT OF
ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL
SYSTEM WILL CONNECT TO ELEVATOR
CONTROLS TO ALLOW ACCESS TO
ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR
CAMERA TO ALLOW BETTER ANGLE OF
VIEW OF CARD READER AND ENTRY
PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT
CAMERA AND MOUNT. PROVIDE LENS
NECESSARY TO VIEW THE GREEN
SPACE.

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

**T3.04
C**



NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

**T3.04
D**



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660


SHEET:

T3.04
F



NOTES:


1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



1 LEVEL 5 TECHNOLOGY FLOOR PLAN
T3.05 SCALE: 1/8" = 1'-0"

NOTES:


1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS




IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

NOTES:


1. APARTMENT ENTRY AND CARD READER
WILL REQUIRE A PEDESTAL MOUNT,
COORDINATE WITH ARCHITECTURAL FOR
STYLE AND LOCATION. PROVIDE (2) 1"
CONDUITS FROM NEAREST POINT OF
ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL
SYSTEM WILL CONNECT TO ELEVATOR
CONTROLS TO ALLOW ACCESS TO
ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR
CAMERA TO ALLOW BETTER ANGLE OF
VIEW OF CARD READER AND ENTRY
PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT
CAMERA AND MOUNT. PROVIDE LENS
NECESSARY TO VIEW THE GREEN
SPACE.



AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T3.05
D



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660



SHEET:

T3.05
F



NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



1 LEVEL 6 TECHNOLOGY FLOOR PLAN
3.06c SCALE: 1/8" = 1'-0"

NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

**T3.06
C**





IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

NOTES:

1. APARTMENT ENTRY AND CARD READER
WILL REQUIRE A PEDESTAL MOUNT,
COORDINATE WITH ARCHITECTURAL FOR
STYLE AND LOCATION. PROVIDE (2) 1"
CONDUITS FROM NEAREST POINT OF
ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL
SYSTEM WILL CONNECT TO ELEVATOR
CONTROLS TO ALLOW ACCESS TO
ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR
CAMERA TO ALLOW BETTER ANGLE OF
VIEW OF CARD READER AND ENTRY
PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT
CAMERA AND MOUNT. PROVIDE LENS
NECESSARY TO VIEW THE GREEN
SPACE.



1 LEVEL 6 TECHNOLOGY FLOOR PLAN
13.06 SCALE: 1/8" = 1'-0"

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660



NOTES:

1. APARTMENT ENTRY AND CARD READER WILL REQUIRE A PEDESTAL MOUNT, COORDINATE WITH ARCHITECTURAL FOR STYLE AND LOCATION. PROVIDE (2) 1" CONDUITS FROM NEAREST POINT OF ACCESSIBLE CEILING.
2. CARD READER/ACCESS CONTROL SYSTEM WILL CONNECT TO ELEVATOR CONTROLS TO ALLOW ACCESS TO ELEVATOR VIA CARD READER.
3. PROVIDE PENDANT MOUNT FOR CAMERA TO ALLOW BETTER ANGLE OF VIEW OF CARD READER AND ENTRY PANEL.
4. EXTERIOR GRADE VANDAL RESISTANT CAMERA AND MOUNT. PROVIDE LENS NECESSARY TO VIEW THE GREEN SPACE.




IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS


SHEET:




TYPICAL UNIT TYPE A
1 2 BED/2 BATH – TECHNOLOGY PLAN
T4.00 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE A – ADA
2 2 BED/2 BATH – TECHNOLOGY PLAN
T4.00 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE B
3 1 BED/1 BATH – TECHNOLOGY PLAN
T4.00 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE B – ADA
4 1 BED/1 BATH – TECHNOLOGY PLAN
T4.00 SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.


M
F
I
A
INC.
Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
CONTACT: GARY ADOVNIK

STUDIO

3

ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T4.00



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS


AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:


T4.01




TYPICAL UNIT TYPE E
1 2 BED/1 BATH - TECHNOLOGY PLAN
T4.01 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE F
2 1 BED/1 BATH - TECHNOLOGY PLAN
T4.01 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE G
3 1 BED/1 BATH - TECHNOLOGY PLAN
T4.01 SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE G - ADA
4 1 BED/1 BATH - TECHNOLOGY PLAN
T4.01 SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

M
F
I
A
INC. Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
CONTACT: GARY ADOVNIK



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022


REVISIONS

AEGIS - PHASE II MIXED-USE DEVELOPMENT


312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:


T4.02




1
T4.02
TYPICAL UNIT TYPE K
0 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



2
T4.02
TYPICAL UNIT TYPE L
0 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



3
T4.02
TYPICAL UNIT TYPE L - ADA
1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




4
T4.02
TYPICAL UNIT TYPE M
1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

**M
F
A**
INC.
Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
WWW.MFIA-ENG.COM
CONTACT: GARY ADOVNIK



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022


REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

GENERAL NOTES:


- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

**M
E
I
A**
INC. Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
WWW.MEIA-ENG.COM
CONTACT: GARY ADOVNIK




TYPICAL UNIT TYPE N

1
14.03 1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE Q

2
14.03 1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE R

3
14.03 2 BED/2 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE S


4
14.03 1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE T
 1 0 BED/1 BATH – TECHNOLOGY PLAN
 T4.04 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE U
 2 0 BED/1 BATH – TECHNOLOGY PLAN
 T4.04 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE V
 3 1 BED/1 BATH – TECHNOLOGY PLAN
 T4.04 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE W
 4 1 BED/1 BATH – TECHNOLOGY PLAN
 T4.04 SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

M
F
I
A
INC.
 Consulting Engineers
 2007 S.E. Ash St.
 Portland, OR 97214
 PHN: (503) 234-0548
 FAX: (503) 234-0677
 CONTACT: GARY ADOVNIK



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
 DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
 MIXED-USE DEVELOPMENT**
 312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T4.04



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS


AEGIS - PHASE II MIXED-USE DEVELOPMENT

312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

GENERAL NOTES:


- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

**M
F
I
A**
INC.
Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
CONTACT: GARY ADOVNIK
WWW.MFIA-ENG.COM




TYPICAL UNIT TYPE X

1
T4.05
1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE X - ADA

2
T4.05
1 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE Y

3
T4.05
0 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE Z


4
T4.05
0 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE Z – ADA
1 0 BED/1 BATH – TECHNOLOGY PLAN
T4.06 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE AA
2 1 BED/1 BATH – TECHNOLOGY PLAN
T4.06 SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE BB
3 1 BED/1 BATH – TECHNOLOGY PLAN
T4.06 SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE CC
4 2 BED/2 BATH – TECHNOLOGY PLAN
T4.06 SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

M Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
INC. WWW.MFIA-ENG.COM
CONTACT: GARY ADOVNIK



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

**AEGIS - PHASE II
MIXED-USE DEVELOPMENT**
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T4.06



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022


REVISIONS

AEGIS - PHASE II MIXED-USE DEVELOPMENT

312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660


SHEET:

T4.07




TYPICAL UNIT TYPE DD

1
T4.07 2 BED/2 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE EE

2
T4.07 2 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



TYPICAL UNIT TYPE EE - ADA

3
T4.07 2 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"




TYPICAL UNIT TYPE FF

4
T4.07 2 BED/1 BATH - TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"


GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.


M Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
CONTACT: GARY ADOVNIK




1
T4.08
TYPICAL UNIT TYPE FF – ADA
2 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



3
T4.08
TYPICAL UNIT TYPE HH
0 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



2
T4.08
TYPICAL UNIT TYPE GG
0 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



4
T4.08
TYPICAL UNIT TYPE II
2 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"


GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

M
F
I
A
INC.
Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
CONTACT: GARY ADOVNIK

STUDIO
3
ARCHITECTURE
INCORPORATED

275 COURT ST. NE
SALEM, OR 97301-3442
P: 503.390.6500
www.studio3architecture.com



IN THE EVENT CONFLICTS ARE DISCOVERED BETWEEN THE ORIGINAL SIGNED AND SEALED DOCUMENTS PREPARED BY THE ARCHITECTS AND/OR THEIR CONSULTANTS, AND ANY COPY OF THE DOCUMENTS TRANSMITTED BY MAIL, FAX, ELECTRONICALLY OR OTHERWISE, THE ORIGINAL SIGNED AND SEALED DOCUMENTS SHALL GOVERN.


PROJECT # 2017-053
DATE: 10/31/2022

REVISIONS

AEGIS - PHASE II
MIXED-USE DEVELOPMENT
312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:

T4.08



IN THE EVENT CONFLICTS ARE DISCOVERED
BETWEEN THE ORIGINAL SIGNED AND SEALED
DOCUMENTS PREPARED BY THE ARCHITECTS
AND/OR THEIR CONSULTANTS, AND ANY COPY OF
THE DOCUMENTS TRANSMITTED BY MAIL, FAX,
ELECTRONICALLY OR OTHERWISE, THE ORIGINAL
SIGNED AND SEALED DOCUMENTS SHALL GOVERN.

PROJECT # 2017-053
DATE: 10/31/2022


REVISIONS

AEGIS - PHASE II MIXED-USE DEVELOPMENT


312 E EVERGREEN BOULEVARD, VANCOUVER, WA 98660

SHEET:


T4.09




1
T4.09 0 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



2
T4.09 1 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



3
T4.09 1 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"



4
T4.09 1 BED/1 BATH – TECHNOLOGY PLAN
SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- VOICE/CATV OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 6" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.
- HORN AND/OR HORN-STROBE DEVICES CONNECT TO BUILDING FIRE ALARM SYSTEM.
- INSTALL STAND-ALONE SMOKE AND CO DETECTORS PER RESIDENTIAL CODE 907.
- 'SMART PANEL' SHALL BE RF TRANSPARENT AND NOT LESS THE 40" IN HEIGHT.

M Consulting Engineers
2007 S.E. Ash St.
Portland, OR 97214
PHN: (503) 234-0548
FAX: (503) 234-0677
CONTACT: GARY ADOVNIK