



1 LEVELS 2-6 - UNIT TYPE 1A - TELCOM PLAN  
T4.13 SCALE: 1/4" = 1'-0"



2 LEVELS 2-6 - UNIT TYPE 1B - TELCOM PLAN  
T4.13 SCALE: 1/4" = 1'-0"



3 LEVELS 2-6 - UNIT TYPE 1C - TELCOM PLAN  
T4.13 SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- DRAWINGS ARE DIAGRAMMATICAL AND MAY NOT ACCURATELY REFLECT ACTUAL CONSTRUCTION CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE INSTALLATION OF ALL EQUIPMENT THEY ARE INSTALLING, WITH ALL TRADES PRIOR TO AND DURING CONSTRUCTION.
- FOR VOICE/DATA OUTLETS PROVIDE A SINGLE GANG MUD-RING WITH A 3/4" FLEX DUCT ROUTED TO SMART PANEL. TERMINATE CONDUIT WITH END CONNECTORS AND THREAD ON PLASTIC BUSHING FOR CABLE PROTECTION. OUTLET SHALL BE AT THE SAME HEIGHT AS ADJACENT POWER OUTLET AND LESS THAN 18" SEPARATION. COORDINATE WITH ELECTRICAL.
- COORDINATE ALL DEVICE LOCATIONS WITH LATEST ARCHITECTURAL INTERIOR ELEVATIONS TO VERIFY DEVICES WILL NOT BE OBSTRUCTED.
- ALL PENETRATIONS THROUGH FIREWALLS WILL NEED FIRESTOP OF THE APPROPRIATE RATING.

KEYED NOTES:

- MEDIA DISTRIBUTION ENCLOSURE, 42"H x 14"W x 3.5"D, NON-METALLIC W/1 TRANSPARENT FOR UTILITY DEMARCATION AND RESIDENT NETWORKING.
- PROVIDE (2) CATEGORY 5E AND (1) QUAD SHIELDED RG-6 AT EACH OUTLET LOCATION, ROUTED TO SMART PANEL AND TERMINATED ON APPROPRIATE GRADE OF EQUIPMENT. LABEL OUTLETS TO MATCH PORT USED IN SMART PANEL.
- OUTLET LOCATED AT TOP OF COUNTER, JUST UNDER EDGE OF THE BREAKFAST BAR TOP, ROTATED 90°.



architecture, interiors & planning

419 SW 11th Ave  
Portland, OR 97205  
Ph: 503.228.7571  
Fx: 503.273.8891

FULLER STATION HOUSING

90% CONSTRUCTION DOCUMENTS

9608 SE Fuller Road  
Clackamas County, Oregon, 97086

MEDIA Consulting Engineers  
2007 S.E. Ash St.  
Portland, OR 97214  
PHN: (503) 234-0548  
FAX: (503) 234-0677  
INC. WWW.MFIA-ENG.COM  
CONTACT: GARY ADOVNIK

90% CONSTRUCTION DOCUMENTS

PROJECT #: 1617.00  
SHEET ISSUE DATE: 11/11/2019  
REVISIONS:  
# DESCRIPTION DATE

LEVEL 2-6 - ONE BEDROOM UNIT PLANS

T4.13